

COMPARATIVE ANALYSIS OF THE EFFICIENCY OF ROMANIAN BANKS

Alin Marius Andries

The Alexandru Ioan Cuza University of Iasi,
Faculty of Economics and Business Administration
Bvd Carol 1, n.22, 7005005, Iasi, Romania
Email: alin.andries@uaic.ro
telephone: +40 230 201479

Vasile Cocris

The Alexandru Ioan Cuza University of Iasi,
Faculty of Economics and Business Administration
Bvd Carol 1, n.22, 7005005, Iasi, Romania
Email: vcocris@uaic.ro
telephone: +40 230 201479

Abstract

In this article we analyze the efficiency of the main banks in Romania, Czech Republic and Hungary for the period 2000-2006 by using the frontier analysis. For the estimation of efficiency of banking activity we used a nonparametric method – the DEA Method (Data Envelopment Analysis) and a parametric method - the SFA Method (Stochastic Frontier Analysis). The results of the analysis show that the banks in the 3 east-European countries register low levels of technical efficiency and cost efficiency, especially the ones in Romania, and that the main factors influencing the level of efficiency of banks in these state are: capital structure (Equity/Total assets); bank size (Total assets), annual inflation rate; banking reform and interest rate liberalisation indicator and ownership form.

Key words: *efficiency; banking; DEA method; SFA method*

JEL Codes: *G21; C33*

1. Introduction

The efficiency and profitability of banks constitute a very important element in the analysis of financial systems of the developing countries at whose level the banking system represents the main component and that has known major mutations in the past years on the level of structure of shareholding as a result of privatization, of the entering of foreign banks and of the increase of competition caused by the liberalization of the market and of the legislative changes.

The creation of a two-level banking system based on the principles of the free market, the implementation of new methods and instruments for bank regulation and supervision, financial or bank crises, the large volume of subprime loans, the entering of foreign banks

through the privatization process or the creation of branches or subsidiaries, the creation of new banks, the acquisitions and mergers at the level of the banking sector, the expansion of modern bank products and technologies – all these factors have had significant effects on the efficiency and profitability of the banking sector in the countries in central and Eastern Europe (Stavarek and Poloucek, 2004, p. 75)

The analysis of the efficiency of banks is important both from a microeconomic and a macroeconomic perspective (Berger and Mester, 1997). From a microeconomic perspective the efficiency of banks is important because of the increase of competition with the entering of foreign banks and the improvement of the institutional framework, of regulation and supervision (Koutsomanoli-Filippaki s.a., 2009). From a macroeconomic perspective, the efficiency of the banking system influences the cost of financial intermediation and the stability of the entire financial system (Rossi et al., 2005). Moreover an improvement of the performance of banks indicates a better allocation of financial resources and thus an increase of the investments favoring economic growth.

The increase in the number of studies regarding the analysis of profitability, performance and efficiency of banks is a result of the mutations at the level of the structure of the financial services industry and of the progress registered at the level of financial and non-financial technologies (Berger and Mester, 2003). The evaluation of the productivity of the banking sector presents a major interest for public authorities because an increase of the productivity of banks can lead to better bank performances, to the decrease of costs and the improvement of the quality of services, as well as an improvement in the allocation of resources and the increase of productivity at the level of the entire economy. The increase of productivity contributes, also, to the increase of the soundness and stability of the banking system provided that the achieved profits are channeled towards the increase of equity and of provisions that allow a better absorption of shocks (Casu et al., 2004). Furthermore, an analysis of the differences in productivity at the level of several states can lead to the identification of the potential success or failure of some legislative initiatives.

Researches concerning the performance of financial institutions focused especially on frontier efficiency or X-efficiency, a concept that measures the performance deviations of some companies from the efficiency frontier, built based on best practices. The frontier efficiency measures how efficient the financial institution is compared to the most efficient institution on the market. The frontier efficiency or the X-efficiency quantifies the cost

efficiency of financial institutions with a greater precision than financial rates (DeYoung, 1997).

In the literature in the field there are a considerable number of studies concerning bank efficiency, most of them are referring to the banking systems in the developed states especially the USA and European Union. There are a low number of studies regarding the efficiency of banks in less developed states and even less on the banks in Central and Eastern Europe. Most studies focused on the banking sector in Central and Eastern Europe are only performed at the level of one state and do not offer comparative information regarding the efficiency of banks in these states. In the past years studies concerning the comparative efficiency at the level of emerging states have intensified, focusing on the analysis of the impact of ownership form on the efficiency of banks, this because of the increase of the presence of foreign investors in the financial systems in transition countries.

Kraft and Tirtiroglu (1998) analyzed the scale efficiency and X-efficiency of banks in Croatia for the period 1994-1995 and showed that newly established banks are less efficient but more profitable than older privatized banks and than the state ones. Fries and Taci (2001) analyzed the cost efficiency of the banking sector in the Czech Republic by considering the size and structure of shareholding. Jemric and Vujcic (2002) used data regarding the banks in Croatia for the period 1995-2000 and showed that foreign and newly established banks are more efficient. Drakos (2002) analyzed the effect of structural reforms on the bank efficiency in six states in central and Eastern Europe in the period 1993-1999.

Grigorian and Manole (2002) performed an analysis of the banking sector in 17 states from central and Eastern Europe in the period 1995-1998 and showed that banking sectors with less banks but better capitalized are more efficient and that the privatization of banks is not always associated with the increase in efficiency. Weill (2003) analyzed the influence of the nature of the ownership form on the efficiency of 47 banks in the Czech Republic and Poland at the level of the year 1997; the study showed that foreign banks have a higher level of efficiency than local banks. Hasan and Marton (2003) analyzed the banking sector in Hungary in the transition period and showed that the efficiency level improved in the analyzed period and that foreign banks are more efficient than local ones. Matousek and Taci (2004) analyzed the banking sector in the Czech Republic in the '90s and showed that the efficiency of Czech banks improved in the analyzed period.

Bonin, Hasan and Wachtel (2005) by using data in the period 1996-2000 regarding 225 banks in 11 states in transition analyzed the effect of the ownership form and showed that

the privatization of banks is not enough to increase the efficiency of banks and that banks with state capital are not significantly more inefficient than private banks. Fries and Taci (2005) studied the banking systems in 15 states in Eastern Europe and showed that banking systems in which the larger share of assets is owned by foreign banks present lower cost inefficiency and that privatized banks with local investors are the most efficient ones. Rossi et al. (2005) analyzed the efficiency level and the behavior of management at the level of the banks in 9 countries in central and Eastern Europe in the period 1995-2002. The study showed that the banks in these states have a low level of efficiency and that there are significant differences between countries.

Havrylchuk (2006) by analyzing the efficiency of the banking industry in Poland between 1997 and 2001 showed that the efficiency level has not increased in the analyzed period and that foreign banks newly entered on the market present a higher level of efficiency than local banks or than the foreign banks that acquired local banks. Yildirim and Philippatos (2007) studied the efficiency of banking sectors in 12 countries in transition in Central and Eastern Europe during the period 1993-2000. The authors showed that the efficiency level of banks is directly proportional with the level of assets and the profitability rate and that the efficiency level of foreign banks in comparison to local banks is higher from the perspective of costs but lower from the perspective of profits. The authors also showed that a third of the banks in this area are inefficient. Koutsomanoli-Filippaki et al. (2009) studied the efficiency of banks in Central and Eastern Europe in the period 1998–2003 and showed that bank efficiency is influenced by the level of concentration and that of the competition in the national banking system and that foreign banks register a higher level of efficiency than local private banks and state banks.

In the literature in the field there are a low number of researches regarding the efficiency of banks in Romania made with the help of frontier methods. Asaftei and Kumbhakar (2008) based on a panel-type set of data afferent to the period 1996-2002 estimate the cost efficiency of banks in Romania by using a model that combines the stochastic frontier analysis and the cost function. The results of the research indicate that the cost efficiency of all banks in Romania increases with the improvement of the normative framework and with the adjustment of the monetary policy to the market conditions. Dardac and Boitan (2008) use the DEA method to measure the relative efficiency of a homogeneous group of credit institutions and for the identification of the factors generating inefficiency, highlighting the impact of the performance of management on bank efficiency.

2. Research methodology

In the analysis of the efficiency of the main banks in Romania in comparison with the main banks in Hungary and the Czech Republic we will use two methods: a parametric method – the SFA Method (Stochastic Frontier Analysis) and a nonparametric method – the DEA Method (Data Envelopment Analysis). The use of two different methods is justified by the following reasons: a) although in many researches regarding efficiency and productivity a hierarchy of methods was tried, until now there was no consensus reached regarding which method should be used (Bauer et al., 1998); b) the use of different methods for the analysis of a economic phenomenon is a cross-verification method for the robustness of the obtained results (Learner and Leonard, 1983); c) considering that the real level of efficiency of a financial institution is not known and that the opportunity for using a certain method is given by the distribution of the set of data, the use of both methods will reduce the potential error caused by the data set distribution hypothesis (Berger and Humphrey, 1997).

The two methods used present both comparative advantages and disadvantages. The DEA method is a determinist method based on linear programming which does not take into account the random errors and thus does not require predefinition of the distribution of the error term. While the SFA Method is a stochastic method, which integrates random errors but also requires predefinition of the functional form. In the case of the SFA method the output of a company is a function of inputs, inefficient and random error and requires predefinition of the error term distribution. The DEA method does not take into account the statistic noise, as such the estimations regarding efficiency can be biased if the production process of the company is characterized by stochastic elements.

Because of its determinist character, the DEA method assumes as hypothesis that all efficiency deviations are caused by the company. Nevertheless, there are some elements such as the legislative framework, level of competition etc. which can not be controlled by the company and which affect the performance of the company. On the contrary, the SFA method allows for the modeling of these factors by introducing the random error in the specification of the determining model for the frontier efficiency (Murillo-Zamorano, 2004).

2.1. The DEA Method (Data Envelopment Analysis)

The DEA method is a nonparametric method for linear programming used to create efficiency frontier and to evaluate the efficiency of the decisional unit. The DEA method provides for the ensemble of analyzed units the efficiency frontier, after which, each decision

unit from the data set used is evaluated in relation to this frontier and a relative efficiency is associated to the units with the best performances to it. These units with the best performances that are in the efficiency frontier are considered to be efficient, while the other ones are considered inefficient and an inefficiency score is associated to them.

The decisional units found as being inefficient are inefficient in that at least one other decisional unit can produce the same quantity of outputs with a smaller quantity of inputs or a bigger quantity of outputs with the same quantity of inputs. The level of efficiency at the level of each decisional unit can not be higher than 1. The DEA method is designed to maximize the relative efficiency of each decisional unit, provided that the averages thus obtained for each decisional unit are also feasible for all other decisional units in the data set. In this way both the reference points are identified – the relatively efficient functional units – that define the efficiency frontier and the interior points – relatively inefficient units – that are beneath the efficiency frontier. If a functional unit is inefficient, the DEA method suggests the necessary strategies to increase the efficiency of this unit, by referring to the selected units as being the best practices. Depending on these data, the manager can evaluate to what extent a less efficient unit underuses or overuses certain inputs and what needs to be done to improve the situation.

In the literature in the field several versions were developed, in the present paper we will apply the model proposed by Charnes, Cooper and Rhodes (1978), an input-oriented model which had the hypothesis of the constant efficiency rates to scale. This model is also called the Constant Rate to Scale Model.

The DEA models can be input oriented models or output oriented models. In the case of input oriented models, the DEA Method defines the efficiency frontier, seeking for each analyzed decisional unit the maximum reduction in the use of inputs so as to maintain the level of outputs constant. In the case of output oriented models the levels of the inputs are maintained constant and the possible maximum for outputs is searched. In case the productive process is characterized by a direct proportionality connection between the size of inputs and the size of outputs, the two measurements of efficiency produce the same efficiency scores. Otherwise the two approaches lead to different efficiency scores.

Charnes, Cooper and Rhodes (1978) proposed a model based on the allocation of different averages to inputs and outputs at the level of each decisional unit and in which the efficiency of each decisional unit can be obtained as solution of the following problem:

$$\begin{aligned}
\max w_0 &= \frac{\sum_r u_r y_{rj_0}}{\sum_r v_r x_{rj_0}} \quad \text{subject to:} \\
\frac{\sum_r u_r y_{rj}}{\sum_r v_r x_{rj}} &\leq 1, \text{ for each } j = 1, 2, \dots, n; \\
u_r, v_i &\geq 0, r = 1, \dots, k; i = 1, \dots, m
\end{aligned} \tag{1}$$

where: w_0 – relative efficiency; u_r, v_i – weights of output r and inputs i ; x and y – the input and output vectors; n, m and k – number of DMUs, inputs and outputs respectively.

The objective function consists in maximizing ratio (1). The restrictions of the problem impose that no decisional unit has that ratio improper. The model described above is partially linear, in which the numerator must be maximized and the denominator minimized simultaneously, and present an infinite number of solutions. This problem was solved by

$$\text{introducing a new restriction: } \sum_{i=1}^m v_i x_{i_0} = 1 \tag{2}$$

By introducing this restriction the problem becomes:

$$\begin{aligned}
\max w_0 &= \sum_r u_r y_{rj_0}, \text{ subject to} \\
\sum_r v_i x_{rj_0} &= 1 \\
\sum_r u_r y_{rj} - \sum_r v_i x_{rj} &\leq 0 \text{ for } j = 1, \dots, n \\
u_r &\geq 0 \text{ for } r = 1, \dots, k \\
v_i &\geq 0 \text{ for } i = 1, \dots, m
\end{aligned} \tag{3}$$

By introducing the additional restrictions (2) which means that the sum of all inputs is established to be equal with 1, it was actually imposed to seek the solution that ensures the maximum value for outputs mentioning the constant inputs.

In the case of linear programming problems, in general, the more restrictions we have the more difficult it is to solve the problem. For any linear program, by using the same data the dual problem of the linear program can be built. The solutions of the primary (initial) program and of the dual program are identical. In the case of the DEA model the solving of the dual program reduces the number of restrictions of the model. That is why, in the empirical analyses the dual program of the DEA model is used more than the initial one. The dual program of the linear programming problem (3) can be written thus:

$$\begin{aligned}
\min \theta, \text{ subject to:} \\
\theta x_{ij_i} - s_{\bar{i}} - \sum_j x_{ij} \lambda_j &= 0, \text{ for } i = 1, \dots, m \\
-s_{\hat{r}} + \sum_j y_{rj} \lambda_j &= y_{rj_0}, \text{ for } r = 1, \dots, k \\
s_{\bar{i}}, s_{\hat{r}}, \lambda_j &\geq 0, j = 1, \dots, n
\end{aligned} \tag{4}$$

where: θ_j – efficiency of DMU j ; y_{rj} – the amount of r th output produced by DMU j using x_{ij} amount of i th input; s_i^- , s_r^+ – input and output slack.

The result of problem (3) represents technical efficiency. The optimum solution θ_j represents the level of technical efficiency of the decisional unit j . The level of efficiency for all decisional units is obtained by repeating the solving of problem (4) for all n decisional units. The original CCR model assumed that all units under the consideration were operating on an optimum scale. The banks face non-constant returns to scale due to imperfect competition, prudential requirements etc. The BCC model formulation relaxed the assumption of optimum scale, this model accomodates the scale effect by relaxing the constant return to scale assumption by incorporating another constraint to the original CCR model – $\sum \lambda = 1$.

The BCC model can be written formally as:

$$\begin{aligned} \min z_0 &= \theta - \varepsilon \sum_i s_i^- - \varepsilon \sum_r s_r^+, \text{ subject to} \\ \theta x_{ij_0} - s_i^- - \sum_j x_{ij} \lambda_j &= 0 \text{ for } i = 1, \dots, m \\ -s_r^+ + \sum_j y_{rj} \lambda_j &= y_{rj_0} \text{ for } r = 1, \dots, k \\ \sum \lambda_j &= 1, s_i^-, s_r^+, \lambda_j \geq 0 \end{aligned}$$

The units with the level of efficiency $\theta_j < 1$ are relatively inefficient and the ones with $\theta_j = 1$ are relatively efficient units and are positioned in the efficiency frontier.

The estimation of the level of technical efficiency and of cost efficiency through the DEA method will be made by using the DEA Frontier software.

2.2. The SFA Method (Stochastic Frontier Analysis)

The SFA method is an econometric, determinist method for the estimation of the efficiency frontier. Unlike the nonparametric methods based on the linear programming technique, the SFA method entails a certain functional form for the relation between inputs and outputs. The SFA method was first proposed by Aigner, Lovell and Schmidt (1977) and Meeusen and van den Broeck (1977).

The determinist production frontier is given by the relation:

$$y_i = f(\mathbf{x}_i; \boldsymbol{\beta}) \exp\{-u_i\} \quad (5)$$

where: $TE_i = \exp\{-u_i\}$ si $u_i \geq 0$

transposed in log-linear form, the determinist production frontier becomes:

$$\ln y_i = \ln f(x_i; \beta) - u_i \quad (6)$$

or

$$\ln y_i = \beta_0 + \sum_n \beta_n \ln x_{ni} - u_i \quad (7)$$

where: $u_i \geq 0 \Rightarrow y_i \leq f(x_i; \beta)$

A major problem of the determinist method is the fact that it does not allow the decomposition of the error term and the separate analysis of the inefficiency of stochastic shock.

The SFA method proposes as form of expression of the production frontier;

$$\ln y_i = \beta_0 + \sum_n \beta_n \ln x_{ni} + v_i - \mu_i, \mu_i \geq 0 \quad (8)$$

where: $f(x_i; \beta)$ – production function; μ_i – technical inefficient component; v_i – random error component (statistic noise); β – input elasticity; x_i – inputs; y_i – outputs.

The variable v_i reflects the effects of the conditions independent from the analyzed decisional unit and the measurement errors and it is assumed that, in general, a normal distribution follows. The second component of the error term μ_i is a variable controllable by the decisional unit, that represents inefficiency and it is assumed that a semi-normal distribution follows.

According to Aigner, Lovell and Schmidt (1977) the production function for a set of panel-type set of data can be written thus:

$$\ln y_i = \beta_0 + \sum_n \beta_n \ln x_{nit} + v_{it} - u_i, v_{it} \sim N(0, \sigma_v^2), v_{it} \sim N(0, \sigma_v^2) \quad (9)$$

Kumbhakar (1987) and Battese and Coelli (1988) generalized the hypothesis concerning the semi-normal distribution of u_i and proposed for the panel-type series of data a truncated normal distribution. The general form for the production function of a panel-type series of data can be written as:

$$y_{it} = x_{it} \beta + v_{it} - u_i \quad (10)$$

where: y_{it} –output vector; x_{it} –input vector; β –independent variable coefficient; v_{it} – random error $N(0, \sigma_v^2)$; u_i – truncated error variable.

The production frontier (10) can be estimated by Maximum Likelihood Estimation (MLE). The resulting error component is decomposed in the “noise” error component and stochastic inefficiency component which is used in the estimation of the level of inefficiency for each decisional unit for the estimation of the frontier efficiency in the case of panel-type data series apart from the MLE these can also be used the method of the least squares with fixed effect and the method of the least squares generalized with random effect.

A disadvantage of the models presented above is the fact that they presuppose that the inefficiency is stable in time, this presupposition being hard to accept when the number of analyzed periods is large enough. In time, it is to expect that managers learn from the past experience in the production process and modify their decisions so as the effects of inefficiency change their characteristics in time.

Cornwell, Schmidt and Sickles (1990) proposed a model in which the effects of technical inefficiency are specific to each company and vary in time thus:

$$u_{it} = u_i + r_i \quad (11)$$

The obtained model can be treated either as a fixed effect model, or as one with random effects and relaxes the invariance hypothesis of the effects of inefficiency. Kumbhakar (1990) suggested the use of a model in which the effects of technical inefficiency vary systematically in time, according to the relation:

$$u_{it} = \exp \left(b + ct^2 \right) u_i \quad (12)$$

where u_{it} are distributed semi-normally, and b and c are the parameters that must be estimated by using the MLE method.

Battese and Coelli (1992) proposed an alternative model to the model developed by Kumbhakar (1990) in which the parameters of the model are estimated with the method of maximum likelihood and in which the terms vary exponentially in time according to the relation:

$$u_{it} = \exp \left(\gamma - T \right) u_i \quad (13)$$

where: γ - unknown parameter that must be estimated, $u_i \sim N(0, \sigma_u^2)$, $v_{it} \sim N(0, \sigma_v^2)$

According to this model technical efficiency can vary in time, but the evolution is the same for all analyzed units.

The restrictions regarding the function of the stochastic frontier are more flexible when a functional form of the translog (TL) type production function is applied, than when a functional Cobb-Douglas-type form is applied. The translog form does not impose the hypothesis regarding the constant elasticity of the production function or of the elasticity of substitution between inputs. Another advantage of the translog form is that it allows data to indicate the real value of the curvature of the function, rather than impose prior hypotheses regarding its value.

The production frontier variable in time can be expressed in translog form thus:

$$\ln y_{it} = \beta_0 + \sum_n \beta_n \ln x_{nit} + \beta_t t + \frac{1}{2} \sum_n \sum_k \beta_{nk} \ln x_{nit} \ln x_{kit} + \frac{1}{2} \beta_{tt} t^2 + \sum_n \beta_{nt} \ln x_{nit} t + v_{it} - u_{it} \quad (14)$$

where: y_{it} –output vector; x_{it} –input vector; β – coefficient of the independent variable; v_{it} – random error $N(0, \sigma_v^2)$; u_i – error variable that follows a normal-truncated distribution; t –time component.

The translog form (14) can be written more simply in the form:

$$\ln y_{it} = TL(x_{it}, t) + v_{it} - u_{it} \quad (15)$$

Battese and Coelli (1995) introduced a model for the frontier of a set of panel-type data that quantifies the effect of inefficiency in μ_{it} . The authors assume as hypothesis the fact that the term non-negative technical efficiency follows a truncated distribution with different averages for the analyzed units.

$$\mu_{it} = Z_{it} \delta + \omega_{it} \quad (16)$$

where: Z_{it} – variable inefficiency .

In the analysis we will perform we will be using in determining the stochastic production frontier the model developed by Battese and Coelli (1995).

When the prices of inputs are available and an objective of the company is constituted by minimization of costs the cost efficiency can be estimated by using a cost frontier. The cost

frontier indicates the minimum cost, c_i , which a decisional unit can register in order to produce a quantity of outputs, y_i , considering the prices of inputs, p_i . the cost frontier can be expressed thus:

$$\ln c_i = \beta_0 + \sum_{n=1}^N \beta_n \ln p_{ni} + \sum_{m=1}^M \phi_m \ln y_{mi} + v_i + u_i \quad (17)$$

where u_i represents inefficiency and is non-negative. This function is non-decreasing, linearly homogeneous and concave in inputs if β_n is non-negative and satisfies the condition

$$\sum_{n=1}^N \beta_n = 1 \quad (18)$$

By introducing condition (18) in model (17) we obtain:

$$\ln\left(\frac{c_i}{p_{Ni}}\right) = \beta_0 + \sum_{n=1}^{N-1} \beta_n \ln\left(\frac{p_{ni}}{p_{Ni}}\right) + \sum_{m=1}^M \phi_m \ln y_{mi} + v_i + u_i \quad (19)$$

The cost efficiency level is given by the ratio between the minimum cost and the cost registered by the decisional unit and is calculated as: $EC = \exp(-u_i)$ (20)

The SFA method assumes that the inefficiency component of the error term is positive and thus the high costs are associated with a high level of inefficiency. In the estimation of the cost efficiency level we used the model developed by Battese and Coelli (1992). The estimation of the technical efficiency level and cost efficiency through the SFA method will be made using the Frontier Version 4.1.

3. Data and variables used

We intend to analyze the efficiency of the intermediation activity performed by the main banks in Romania, Czech Republic and Hungary.

The data used in the analysis are taken from the annual reports of the banks for the period 2000-2006 and from the Fitch IBCA's BankScope database. The data set comprises 6 banks from Romania: Banca Transilvania, Banca Comercială Română, Banca Română pentru Dezvoltare, CEC, Raiffeisen Bank, UniCredit Tirioc Bank; 6 banks from the Czech Republic: Ceska Sporitelna, Citibank Cehia, CMSS, CSOB, GE Money Bank, Komerčni Banka; and 6 banks from Hungary: CIB Közép, K&H Bank, MKB Bank, OTP Bank, RaiffeisenBank Ungaria, UniCredit Bank Hungary.

The structure of the sample was determined by the availability of data at the level of the banks in the 3 national banking systems, the selected banks own more than 60% of the assets of the national banking systems. In the case of the Romanian banking system the 11 selected banks owned at the end of 2007, 60.48% of the net balance sheet assets of the banking system. The data set is unbalanced, this is caused by the fact that in the case of some banks the information afferent to some years from the analyzed period is not available.

In the literature in the field there is no consensus regarding the inputs and outputs that have to be used in the analysis of the efficiency of the activity of commercial banks (Berger and Humphrey, 1997). In the studies in the field five approaches for defining inputs and outputs in the analysis of the efficiency of a bank were developed, these are: The intermediation approach; The production approach; The asset approach; The user cost; The value added approach. The first three approaches are developed starting from the functions banks fulfill (Favero and Papi, 1995). The production and the intermediation approach are the best known ones and the most used in the quantification of bank efficiency (Sealy and Lindley, 1997).

In the production type approach banks are considered as deposit and loan producers and it assumes that banks use inputs such as capital and work to produce a number of deposits and loans.

According to the intermediation approach, banks are considered the intermediaries that transfer the financial resources from surplus agents to the fund deficit ones. In this approach it is considered that the bank uses as inputs: deposits, other funds, equity and work, which they transform into outputs such as: loans and financial investments.

The opportunity for using each method varies depending on the circumstances (Tortosa-Ausina, 2002). The intermediation approach is considered relevant for the banking sector, where the largest share of activity consists of transforming the attracted funds into loans or financial investments.

In this paper we will use the intermediation approach for two reasons: a) the scope of the analysis is to determine the efficiency of banks in the financial intermediation activity that entails the transfer of funds from the surplus agents to the ones with deficit; b) the database is not suitable for the production type approach because we have no information regarding the number of deposits and loans created by the banks.

In the performed analysis we will use the following set of inputs and outputs to quantify the efficiency of banks in Romania, Czech Republic and Hungary:

- Outputs: loans in mil. EUR; loans and advances to banks in mil. EUR; investments in mil. EUR.

- Inputs: fixed assets in mil. EUR; personnel expenses in mil. EUR; operational expenses in mil. EUR; financial capital in mil. EUR.

- Price of inputs: Personnel expenses / Number of employees; Depreciation and amortisation / Fixed assets ; General expenses / Financial capital; interest expenses / Financial capital.

4. Empirical results regarding the efficiency of banks

Considering that our data base is a panel-type base we can estimate the frontier efficiency for all banks during the entire analyzed period of time or we can estimate an efficiency frontier separately for each year. In the literature in the field it is claimed that constructing some separate frontiers for each year offers a higher flexibility than one multi-annual frontier (Bauer, Berger and Humphrey 1993). Constructing some separate frontiers allows for the analysis of the evolution of the degree of efficiency at the level of each bank in time, a very important aspect especially in the situation when the market conditions change.

4.1. Quantification of the efficiency of banks through the DEA Method

In our analysis we estimated the technical efficiency and the cost efficiency of the 18 banks from the selected sample for all the years the data were available for in the period 2000-2006. By applying the DEA method we obtained the following values of the technical efficiency and of the cost efficiency at the level of the banks in Romania, Czech Republic and Hungary:

Table 1 Technical efficiency and cost efficiency of the banks in Romania, Czech Republic and Hungary for the period 2000 – 2006 obtained through the DEA method

Banking sector	Year	Romania	Czech republic	Hungary	Total
Technical efficiency	2000	0.795993	0.955026	0.97057	0.921097
	2001	0.790225	0.967858	0.996952	0.93436
	2002	0.799507	0.979413	0.995615	0.924845
	2003	0.815104	0.996232	0.995131	0.935489
	2004	0.726376	1	0.976954	0.90111
	2005	0.7381	0.996308	0.973395	0.902601
	2006	0.791351	0.990313	0.962227	0.91463
Cost efficiency	2000	0.209908	0.711327	0.782409	0.612628
	2001	0.188841	0.665035	0.772817	0.586405
	2002	0.174506	0.627577	0.692952	0.498345
	2003	0.183703	0.589879	0.60095	0.458177
	2004	0.203053	0.595694	0.662702	0.48715
	2005	0.226193	0.62202	0.562879	0.470364
	2006	0.263891	0.591345	0.500856	0.452031
Technical efficiency	Mean	0.779522	0.983592	0.981549	0.919161
Cost efficiency	Mean	0.207156	0.628982	0.653652	0.509299

From table no. 1 it is noticed that the banks in Romania register for the analyzed period a level of technical efficiency much lower than the banks in Hungary and Czech Republic. An explanation of this phenomenon could be the fact that the great banks in the Czech Republic and especially in Hungary were privatized much earlier than Romanian banks. The cost efficiency registers at the level of the 3 banking systems very low levels which mean that the bank products and services offered by these banks are very expensive. At the level of the cost efficiency it is noticed that Romanian banks register a level of 0.2071, much lower than the average level registered by the banks in the Czech Republic and Hungary, 0.6289 respectively 0.6536. An explanation for this situation could be the very high cost of capital in Romania, the very high level of operational expenses and of personnel expenses registered by Romanian banks, especially BCR and BRD.

4.2. Quantification of the efficiency of banks through the SFA Method

From the data presented in table no. 2 it is seen that the level of efficiency, both technical and cost, of the banks in Romania is much lower than the one of the banks in the Czech Republic and Hungary. The average technical efficiency level of 0.2511 obtained by the banks in Romania signifies the fact that they should reduce the volume of inputs on average with approximately 75% in order to become efficient. The results regarding the cost efficiency of the banks in Romania (0.11588) indicate the fact that Romanian banks must reduce their costs with more than 88% in order to become efficient.

Table 2 Technical efficiency and cost efficiency of the banks in Romania, Czech Republic and Hungary for the period 2000 – 2006 obtained through the SFA method

	Year	Romania	Czech Republic	Hungary	Total
Technical efficiency	2000	0.116009	0.444094	0.551557	0.402371
	2001	0.12042	0.488606	0.665665	0.462956
	2002	0.109654	0.532939	0.713793	0.452129
	2003	0.176612	0.59469	0.760576	0.510626
	2004	0.242734	0.714761	0.797572	0.585023
	2005	0.311246	0.776628	0.830686	0.63952
	2006	0.607237	0.835354	0.889354	0.777315
Cost efficiency	2000	0.045379	0.10949	0.267146	0.152584
	2001	0.06263	0.125492	0.277702	0.166856
	2002	0.100201	0.142822	0.287502	0.176842
	2003	0.12064	0.160968	0.296483	0.192697
	2004	0.140956	0.179353	0.304633	0.208314
	2005	0.160958	0.197432	0.311969	0.223453
	2006	0.180413	0.214762	0.318533	0.237903
Technical efficiency	Mean	0.251177	0.626725	0.744172	0.540691
Cost efficiency	Mean	0.115883	0.161474	0.294853	0.194093

The level of the cost efficiency has registered significant increases for the analyzed period at the level of the 3 banking systems. The largest increase was registered by the banks in Romania, at the level of which there was registered an increase of more than 4 times from a level of 0.045379 in 2000 to a level of 0.180413 in 2006.

5 Comparing the results obtained through the two methods

In this subchapter we will try to analyze the robustness of the results obtained by applying the 2 methods (the DEA Method and the SFA Method). The use of both methods was motivated by the fact that in the literature in the field there was no consensus reached regarding which is the most appropriate method in the analysis of the efficiency of bank institutions and because by using different methods in the estimation of the level of efficiency the potential errors of estimation are reduced and the testing of the robustness of the obtained results can be achieved through alter methods. Previous studies show that applying some alter models can generate different empirical results (Berger and Mester (1997) and Bauer et el. (1998)).

Although there are a significant number of studies regarding bank efficiency, only a small number apply 2 or more parametric and nonparametric methods of estimation on the same set of data (see Ferrier and Lovell (1990), Bauer et el. (1998), Casu and Girardone

(2002) Casu et al. (2004), Weill (2004), Beccalli, Casu and Girardone (2006) and Fiorentino, Kaufmann and Koetter (2006)).

Most performed studies used for the analysis of the consistency of the two methods Spearman (θ) and Kendall (τ) rank correlation coefficients. Both coefficients are coefficients of the nonparametric correlation and are determined independently from the form of the connection.

Table 3 The indicators of descriptive statistics regarding the level of efficiency obtained through the DEA method and the SFA method

	Minimum	Maximum	Mean	Std. Deviation
Technical efficiency SFA method	.013585	.957165	.55088749	.285002568
Cost efficiency SFA method	.000003	.359164	.19521952	.112893290
Technical efficiency DEA method	.607049	1.000000	.91888083	.116893569
Cost efficiency DEA method	.115823	1.000000	.50634199	.297204558

Table 4 The Kendall and Spearman correlation coefficients regarding the levels of efficiency obtained through the SFA and DEA method

			Technical efficiency SFA method	Technical efficiency DEA method	Cost efficiency SFA method	Cost efficiency DEA method
Kendall's tau_b	Technical efficiency SFA method	Correlation Coefficient Sig.	1.000 .	.345(**) .000		
	Technical efficiency DEA method	Correlation Coefficient Sig.	.345(**) .000	1.000 .		
Spearman's rho	Technical efficiency SFA method	Correlation Coefficient Sig.	1.000 .	.472(**) .000		
	Technical efficiency DEA method	Correlation Coefficient Sig.	.472(**) .000	1.000 .		
Kendall's tau_b	Cost efficiency SFA method	Correlation Coefficient Sig.			1.000 .	.339(**) .000
	Cost efficiency DEA method	Correlation Coefficient Sig.			.339(**) .000	1.000 .
Spearman's rho	Cost efficiency SFA method	Correlation Coefficient Sig.			1.000 .	.509(**) .000
	Cost efficiency DEA method	Correlation Coefficient Sig.			.509(**) .000	1.000 .

** Correlation is significant at the 0.01 level.

It is seen from table no.3 that the average levels of efficiency, both technical and cost, and the standard deviations obtained through the SFA method are lower than the ones obtained through the DEA method.

The Spearman correlation coefficients show that there is a moderate correlation both between the levels of technical efficiency ($\theta = 0.472$), and between the levels of cost efficiency ($\theta = 0.509$) obtained through the DEA and SFA methods, and the Kendall correlation coefficients confirm the existence of a correlation between the levels of efficiency obtained through the 2 methods and show that there is a pretty low probability that both the level of technical efficiency ($\tau = 0.345$), and those of the cost efficiency ($\tau = 0.339$) have the same rank.

6 Factors influencing the efficiency of banks

The empirical results of the analysis of the efficiency of banks in the three countries show that the level of efficiency differs in time and from bank to bank, this means that the level of efficiency of a bank is influenced by a series of micro and macroeconomic factors. The performances of a bank are determined by a series of internal factors that are specific to the bank and external factors that are specific to the environment where the bank performs its activity in, these factors influence the degree of efficiency of that bank.

Thus, recognizing and using the factors that have a significant influence on the performance of banks are necessary conditions for improving efficiency.

Microeconomic factors have an influence only on a certain area of activity and it includes endogen factors, such as the utilized resources, the technology used, the size of assets, invested capital, organization and management method which are controllable by the bank and exogenous factors such as the specific legislation, market share, price and availability of resources that do not depend only on the bank's management. The macroeconomic factors (level of inflation, level of economic growth, GDP per capita, population etc.) influence the efficiency for all firms regardless of the area of activity in which they perform their activity.

In the literature in field, the studies regarding the factors influencing the efficiency of banks used the following variables:

Microeconomic factors: total assets (Favero and Papi (1995), McKillop, Glass and Ferguson (2002)), profitability (Casu et al. (2004)), capital rate (Casu et al. (2004)), loans/

total assets ratio (McKillop, Glass and Ferguson (2002)), subprime loans (McKillop, Glass and Ferguson (2002)), degree of liquidity (McKillop, Glass and Ferguson (2002));

Macroeconomic factors: rate of inflation (Grigorian and Manole, 2002), GDP per capita (Grigorian and Manole, 2002).

Other factors: form of ownership (Favero and Papi, 1995), location ((Favero and Papi (1995), Casu et al. (2004)).

Previous studies applied 3 techniques for the analysis of the factors influencing the estimated level of efficiency: a) the multivariate regression analysis that uses the estimated levels of efficiency through parametric or nonparametric methods as dependent variable and a series of other factors as explicative variables [Favero and Papi (1995), Grigorian and Manole (2002)]; b) the longitudinal graphic approach through which the long term trend of the levels of efficiency is analyzed and it uses graphic representation to show the relation between the estimated efficiency and each factor [Barr, Killgo, Siems and Zimmer (1999)]; c) principal components analysis [Lensink, Meesters and Naaborg (2008), Sturm and Williams (2008)].

In the analysis regarding the factors influencing the efficiency of banks we will use the multivariate regression method. The empirical models used in the literature in the field use a two stage procedure: in the first stage the level of efficiency is estimated through parametric or nonparametric methods and in the second stage the regression analysis is applied in which the levels of efficiency are dependent variables.

The applying of the regression analysis meets certain problems because the dependent variable takes values in the interval (0, 1) and thus the least square regression analysis does not apply. That is why, we will use the Tobit multiple regression which allows the use of some truncated dependant variables. This type of regression analysis has as hypothesis the fact that the estimated efficiency follows a truncated, normal and exponential distribution and uses the method of maximum probability.

The estimated efficiency relation, as dependant variable, and other independent variables is explained through the following Tobit model:

$$\theta_{nj}^* = \begin{cases} \sum_{k=0}^l z_{kj} \delta_k + u_j & \text{if } \theta_j > 0 \\ 0 & \text{if } \theta_j < 0 \end{cases} \quad (21)$$

where: $u_j \sim N(0, \sigma^2)$, z_{kj} – vector of the variables explaining the efficiency of banks;
 n – number of observations.

The probability function for the estimation of the unknown variable (δ) in the Tobit model with limit points $a=0$ and $a=1$ is identified in the form:

$$L = \prod_{y_i > a} \frac{1}{\sigma} f\left(\frac{y_i - \delta_{z_i}}{\sigma}\right) \prod_{y_i < a} f\left(-\frac{\delta_{z_i}}{\sigma}\right) \quad (22)$$

We will use the EViews program to perform 4 separate Tobit regression analyses, estimated based on the levels of technical and cost efficiency obtained through the DEA and SFA methods. We used the variables presented in table no. 5 to analyze the relation between the level of efficiency of the banks and certain characteristics of the banks: quality of assets (Impaired loans / Total loan portfolio); structure of capital (Equity Total assets); net interest margin; administrative costs (non-interest expenses/Average assets); bank size (Total Assets), ownership form and Banking reform and interest rate liberalisation indicator.

Table 5 The variables used in the Tobi regression analysis

Category	Symbol	Variable
Dependant variable	DEA_T	Technical efficiency DEA method
	DEA_C	Cost efficiency DEA method
	SFA_T	Technical efficiency SFA method
	SFA_C	Cost efficiency SFA method
Independent variables (microeconomic)	CR_TC_A	Impaired loans/ Total loan portfolio (%)
	CP_AT_C	Equity/Total assets (%)
	MND_O	Net interest margin (%)
	CN_AM_O	Non-interest expenses/Average assets (%)
	ROAE_O	Return of the average equity (ROAE) (%)
	TA	Total Assets (mld. EUR)
Independent variables (macroeconomic)	PIB	GDP growth rate (%)
	IPC	Annual inflation rate (%)
Qualitative independent variable	FP	Ownership form (0 – state owned; 1 – private owned)
	BANK_REF	Banking reform and interest rate liberalisation indicator

The average values and the standard deviations of the variables show us that there are no outliers among the explicative variables that affect the estimated regression coefficients.

Table 6 Pearson correlation coefficients of the variables of the model

	DEA_T	DEA_C	SFA_T	SFA_C	CR_TC_A	CP_AT_C	MND_O	CN_AM_O	ROAE_O	TA	PIB	IPC	FP	BANK_RE
DEA_T	1.00													
DEA_C	0.200	1.00												
SFA_T	0.071	0.668	1.00											
SFA_C	0.178	0.463	0.743	1.00										
CR_TC_A	-0.060	-0.016	0.032	-0.357	1.00									
CP_AT_C	0.048	-0.349	-0.306	-0.355	0.309	1.000								
MND_O	-0.165	-0.383	-0.591	-0.608	0.275	0.511	1.00							
CN_AM_O	-0.474	-0.422	-0.535	-0.389	-0.028	-0.129	0.556	1.00						
ROAE_O	-0.087	-0.357	-0.630	-0.595	0.088	0.237	0.556	0.412	1.00					
TA	-0.150	-0.382	-0.642	-0.601	0.039	-0.091	0.379	0.508	0.657	1.00				
PIB	-0.301	0.170	0.297	0.139	0.114	-0.048	-0.036	-0.014	-0.339	-0.263	1.00			
IPC	0.002	0.491	0.664	0.701	-0.341	-0.339	-0.628	-0.394	-0.516	-0.443	-0.005	1.00		
FP	-0.152	-0.198	-0.304	-0.223	0.314	0.183	0.321	0.199	0.274	0.344	-0.060	-0.378	1.00	
BANK_RE	0.738	0.774	0.633	0.567	-0.099	-0.464	-0.696	-0.651	-0.001	0.372	-0.217	-0.695	0.381	1.00

The correlation coefficients presented in table no. 6 show us that there is a weak correlation between the variables of the model, which means that there is no multi-collinearity among the variables used in the regression analysis.

Table 7 Tobit regression coefficients

Method: ML - Censored Normal (TOBIT) (Quadratic hill climbing)								
Sample: 2000 2006								
Included observations: 118								
Left censoring (value) series: 0								
Right censoring (value) series: 1								
Covariance matrix computed using second derivatives								
Dependent Variable: DEA_T				Dependent Variable: DEA_C				
	Coefficient	Std. Error	z-Statistic	Prob.	Coefficient	Std. Error	z-Statistic	Prob.
CP_AT_C	0.009455	0.004902	1.928863	0.0537	-0.006892	0.006057	-1.137881	0.2552
CR_TC_A	-0.001485	0.003705	-0.400817	0.6886	0.002244	0.005445	0.412048	0.6803
MND_O	0.003566	0.009013	0.395609	0.6924	-0.008041	0.013690	-0.587401	0.5569
CN_AM_O	-0.031010	0.010210	-3.037186	0.0024	-0.062161	0.014322	-4.340289	0.0000
ROAE_O	-0.004607	0.001686	-2.732268	0.0063	-0.003809	0.002452	-1.553353	0.1203
TA	-4.59E-06	2.50E-06	-1.833737	0.0667	-1.98E-05	3.31E-06	-5.961411	0.0000
IPC	0.003071	0.002161	1.421134	0.1553	0.006546	0.002968	2.205160	0.0274
PIB	-0.006542	0.008475	-0.771887	0.4402	-0.008424	0.012311	-0.684245	0.4938
FP	0.082680	0.039840	2.075322	0.0380	0.196490	0.060453	3.250279	0.0012
BANK_REF	0.304690	0.017851	17.06882	0.0000	0.260669	0.022960	11.35311	0.0000
Dependent Variable: SFA_T				Dependent Variable: SFA_C				
	Coefficient	Std. Error	z-Statistic	Prob.	Coefficient	Std. Error	z-Statistic	Prob.
CP_AT_C	0.009122	0.005153	1.770295	0.0767	-0.001988	0.002112	-0.941105	0.3467
CR_TC_A	-0.012158	0.004658	-2.610413	0.0090	-0.013236	0.001950	-6.786328	0.0000
MND_O	-0.017427	0.011725	-1.486331	0.1372	-0.013761	0.004808	-2.861937	0.0042
CN_AM_O	-0.007059	0.012122	-0.582348	0.5603	0.011627	0.004973	2.338122	0.0194
ROAE_O	-0.000659	0.002094	-0.314605	0.7531	0.000216	0.000857	0.252251	0.8008
TA	1.33E-05	2.80E-06	4.737270	0.0000	-6.08E-06	1.15E-06	-5.291751	0.0000
IPC	-0.006684	0.002526	-2.645725	0.0082	-0.001634	0.001052	-1.552954	0.1204
PIB	0.002019	0.010391	0.194311	0.8459	-0.000656	0.004292	-0.152746	0.8786
FP	-0.027469	0.051687	-0.531461	0.5951	-0.042335	0.021408	-1.977545	0.0480
BANK_REF	0.181034	0.019445	9.309832	0.0000	0.103284	0.008055	12.82278	0.0000

From the performed analysis results that the technical efficiency is influenced by the following variables: structure of capital; bank size; annual inflation rate; ownership form and banking reform and interest rate liberalisation indicator. The cost efficiency is influenced by the evolution of the following variables: annual inflation rate; non-interest expenses; ownership form and banking reform and interest rate liberalisation indicator.

7. Conclusions

In this study we performed an analysis of the efficiency of the main banks in Romania, Czech Republic and Hungary for the period 2000-2006 by using a parametric method – the SFA Method and a nonparametric method – the DEA Method.

The results of the analysis performed with the help of the DEA nonparametric method show that in the analyzed period the banks in Romania were registering a much lower level of technical efficiency than the banks in Hungary and the Czech Republic. The banks in the 3 East European states are inefficient from the perspective of costs, which means that the bank services and products offered by these banks are very expensive. At the level of cost efficiency it is noticed that Romanian banks register a much lower level than the average levels registered by the banks in the Czech Republic and Hungary. The results offered by applying the SFA method are similar with the ones offered by the DEA method and indicate much lower levels of efficiency at the level of the banks in Romania than at the level of the banks in the Czech Republic and Hungary.

The level of the cost efficiency registered significant increases for the analyzed period at the level of the 3 banking systems. The largest increase was registered by the banks in Romania, at the level of which there was registered an increase of more than 4 times from a level of 0.045379 in 2000 to a level of 0.180413 in 2006. From the performed analysis results that the technical efficiency is influenced by the following variables: structure of capital; bank size; annual inflation rate; ownership form and banking reform and interest rate liberalisation indicator. The cost efficiency is influenced by the evolution of the following variables: annual inflation rate; non-interest expenses; ownership form and banking reform and interest rate liberalisation indicator.

References

- [1] AIGNER, D., LOVELL, C., SCHMIDT, P., *Formulation and Estimation of Stochastic Frontier Production Function Models*. Journal of Econometrics. 1977, vol. 6 pp.21-37.
- [2] ASAFTEI, G., KUMBHAKAR, S. *Regulation and efficiency in transition: the case of Romanian banks*. Journal of Regulatory Economics. 2008, volume 33, Number 3 / June, 253–282.
- [3] BARR, R., KILLGO, K., SIEMS, T., ZIMMEL, S. *Evaluating the Productive Efficiency and Performance of U.S. Commercial Banks*. Managerial Finance. 1999, vol. 28, no. 8, pp. 3-25.
- [4] BATTESE, G., COELLI, T. *Frontier Production Functions, Technical Efficiency and Panel Data: with Application to Paddy Farmers in India*. Journal of Productivity Analysis. 1992, volume 3, Numbers 1-2 / June, 1992, 153-169.
- [5] BATTESE, G., COELLI, T. *A Model for Technical Inefficiency Effects in a Stochastic Frontier Production Function for Panel Data*. Empirical Economics. 1995, vol. 20, 325-332.
- [6] BAUER, P., BERGER, A., HUMPHREY, D. *Efficiency and Productivity Growth in US Banking*. In FRIED, H., KNOX LOVELL, C., SCHMIDT, S. (Eds.), *The measurement of productive efficiency: Techniques and Applications*. Oxford University Press, 1993, 386-413.
- [7] BAUER, P., BERGER, A., FERRIER, G., HUMPHREY, D. *Consistency Conditions for Regulatory Analysis of Financial Institutions: A Comparison of Frontier Efficiency Methods*. Journal of Economics and Business. 1998, vol. 50, 85-114.
- [8] BECCALLI, E., CASU, B. GIRARDONE, C. *Efficiency and Stock Performance in European Banking*. Journal of Business Finance and Accounting. 2006, vol. 33, 245-262.
- [9] BERGER, A., HUMPHREY, D. *Efficiency of Financial Institutions: International Survey and Directions for Future Research*. European Journal of Operation Research. 1997, vol. 98. pp.175-212.
- [10] BERGER, A., MESTER, L. *Inside the black box: What explains differences in the efficiencies of financial institutions*. Journal of Banking and Finance. 1997, vol. 21, 895–947.
- [11] BERGER, A., MESTER, L. *Explaining the dramatic changes in performance of US banks: Technological change, deregulation, and dynamic changes in competition*. Journal of Financial Intermediation. 2003, vol. 12, 57–95.

- [12] BONIN, J., HASSAN, I., WACHTEL, P. *Bank performance, efficiency and ownership in transition countries*. Journal of Banking and Finance. 2005, vol. 29, 31–53.
- [13] CASU, B., GIRARDONE, C. *A comparative Study of the Cost Efficiency of Italian Banks Conglomerates*. Managerial Finance. 2002, vol. 28, 9, 3-23.
- [14] CASU, B., GIRARDONE, C., MOLYNEUX, P. *Productivity change in European banking: A comparison of parametric and non-parametric approaches*. Journal of Banking and Finance. 2004, vol. 28, 2521–2540.
- [15] CHARNES, A., COOPER, W., RHODES, E. *Measuring the Efficiency of Decision Making Units*. European Journal of Operational Research. 1978.
- [16] CORNWELL, C., SCHMIDT, P., SICKLES, R. *Production Frontiers with Crosssectional and Time-series Variation in Efficiency Levels*. Journal of Econometrics. Vol. 46, Issues 1-2, October-November 1990, Pages 185-200.
- [17] DARDAC, N., BOITAN, I. *Evaluation of Individual and Aggregate Credit Institutions Management's Performance*. Economie teoretica si aplicata nr. 5 / 2008 (522).
- [18] DE YOUNG, R. *Measuring Bank Cost Efficiency: Don't Count On Accounting Ratios*. Financial Practice and Education. 1997, vol. 7, 20-31.
- [19] DRAKOS, K. *Banking Sector Efficiency in Central and Eastern Europe*. Russian and East European Finance and Trade. 2002, vol. 38(2), 33-44, 2002.
- [20] FAVERO, C., PAPI, L. *Technical Efficiency and Scale Efficiency in the Italian Banking Sector: A Non-parametric Approach*. Applied Economics. 1995, vol. 27, 385-395.
- [21] FERRIER, G. LOVELL, C. *Measuring Cost Efficiency in Banking: Econometric and Linear Programming Evidence*. Journal of Econometrics. 1990, vol. 46, 229–245.
- [22] FIORENTINO, E., KAUFMANN, A., KOETTER, M. *The Cost Efficiency of German Banks A Comparison of SFA and DEA*. Discussion Paper Deutsche Bundesbank. Series 2: Banking and Financial Studies No 10. 2006.
- [23] FRIES, S., TACI, A. *Banking reform and development in transition economies*. European Bank for Reconstruction and Development. 2001, Working paper No. 71.
- [24] FRIES, S., TACI, A. *Cost efficiency of banks in transition: Evidence from 289 banks in 15 post-communist countries*. Journal of Banking and Finance. 2005, vol. 29, 55– 81.
- [25] GRIGORIAN, D., MANOLE, V. *Determinants of commercial bank performance in transition: An application of Data Envelopment Analysis*. Working Paper 2850, The World Bank. 2002.

- [26] HASAN, I., MARTON, K. *Development and Efficiency of the Banking Sector in a Transitional Economy*. Journal of Banking and Finance. 2003, vol. 27, No. 12, pp. 2249–2271.
- [27] HAVRYLCHYK, O. *Efficiency of the Polish banking industry: Foreign versus domestic banks*. Journal of Banking & Finance. 2006, vol. 30, 1975–1996.
- [28] JEMRIC, I., VUJCIC, B. *Efficiency of banks in Croatia: a DEA approach*. Comparative Economic Studies. 2002, vol. 44 (2/3), pp. 169–193.
- [29] KOUTSOMANOLI-FILIPPAKI, A., MARGARITIS, D., STAIKOURAS, C. *Efficiency and productivity growth in the banking industry of Central and Eastern Europe*. Journal of Banking and Finance. 2009, vol. 33, 557–567.
- [30] KRAFT, E., TIRTIROGLU, D. *Bank Efficiency in Croatia: A Stochastic-Frontier Analysis*. Journal of Comparative Economics. 1998, vol. 26, 282–300.
- [31] KUMBHAKAR, S. *Production Frontiers, Panel Data and Time-varying Technical Inefficiency*. Journal of Econometrics. 1990, volume 46, Issues 1-2, October-November 1990, Pages 201–211.
- [32] LEAMER, E., LEONARD, H. *Reporting the Fragility of Regression Estimates*. Review of Economics and Statistics. 1983, vol. 65, 306–317.
- [33] LENSINK, R., MEESTERS, A., NAABORG, I. *Bank efficiency and foreign ownership: Do good institutions matter?* Journal of Banking & Finance. 2008, vol. 32, 834–844.
- [34] MATOUSEK, R., TACI, A. *Efficiency in Banking: Empirical Evidence from the Czech Republic*. Economics of Planning. 2004, vol. 37, 225–244.
- [35] MC KILLOP, D., GLASS, J., FERGUSON, C. *Investigating the Cost Performance of UK Credit Unions Using Radial and Non-radial Efficiency Measures*. Journal of Banking & Finance. 2002, vol. 26, no. 8, pp. 1563–92.
- [36] MEEUSEN, W., VAN DE BROECK, J. *Efficiency Estimation from Cobb-Douglas Production Function with Compared Error*. International Economic Review. 1977, vol. 18(2), 435–444.
- [37] MURILLO-ZAMORANO, L. *Economic Efficiency and Frontier Techniques*. Journal of Economic Surveys. 2004, vol. 18, 1, 33–77.
- [38] STAVAREK, D., POLOUCEK, S. *Efficiency and Profitability in the Banking Sector*. In POLOUCEK, S. (ed.) *Reforming the Financial Sector in Central European Countries*. Houndmills: Palgrave Macmillan, 2004. pp. 75–135.

- [39] ROSSI, S., SCHWAIGER, M., WINKLER, G., *Managerial behavior and cost/profit efficiency in the banking sectors of Central and Eastern European countries*. Working Paper 96, Oesterreichische Nationalbank. 2005.
- [40] SEALEY, C. LINDLEY, J. *Inputs, Outputs and a Theory of Production and Cost at Depository Financial Institutions*. Journal of Finance. 1977, vol. 32, 1251-1266.
- [41] STURM, J., WILLIAMS, B. *Characteristics determining the efficiency of foreign banks in Australia*. Journal of Banking & Finance. 2008, vol. 32, 2346–2360.
- [42] TORTOSA-AUSINA, E. *Banks Cost Efficiency and Output Specification*. Journal of Productivity Analysis. 2002, vol. 18, 199-222.
- [43] WEILL, L. *Banking Efficiency in Transition Economies: The Role of Foreign Ownership*. Economics of Transition. 2003, vol. 11, 569-592.
- [44] WEILL, L. *Measuring cost efficiency in european banking: a comparison of frontier techniques*. Journal of Productivity Analysis. 2004, vol. 21 No.2, pp.133-52.
- [45] YILDIRIM, S., PHILIPPATOS, G. *Efficiency of banks: Recent evidence from the transition economies of Europe 1993–2000*. European Journal of Finance. 2007, vol. 13, 123–143.